

<b>Nominal Diameter of Ballotini™ Metal Finishing Beads Supplied for the U.S.A.</b>						
<b>Potters Designation</b>	<b>US Sieve</b>	<b>Inches Max</b>	<b>Inches Min</b>	<b>Microns Max</b>	<b>Microns Min</b>	<b>Min % Round</b>
A	20-30	.0331	.0234	850	600	65
AAA	25-45	.0278	.0139	710	355	65
B	30-40	.0234	.0165	600	425	65
C	40-60	.0165	.0098	425	250	75
AA	40-70	.0165	.0083	425	212	70
D	50-70	.0117	.0083	300	212	75
AB	50-80	.0117	.0070	300	180	70
AC	60-120	.0098	.0049	250	125	80
AD	70-140	.0083	.0041	212	106	80
AE	100-170	.0059	.0035	150	90	85
AG	120-270	.0049	.0021	125	53	85
AH	170-325	.0035	.0017	90	45	85

<b>MIL-PRF-9954C</b>						
<b>Potters Designation</b>	<b>US Sieve</b>	<b>Inches Max</b>	<b>Inches Min</b>	<b>Microns Max</b>	<b>Microns Min</b>	<b>Min % Round</b>
3	20-30	.0331	.0234	850	600	65
4	30-40	.0234	.0165	600	425	70
5	40-50	.0165	.0117	425	300	70
6	50-70	.0117	.0083	300	212	80
7	60-80	.0098	.0070	250	180	80
8	70-100	.0083	.0059	212	150	80
9	80-120	.0070	.0049	180	125	80
10	100-170	.0059	.0035	150	90	90
11	120-200	.0049	.0029	125	75	90
12	140-230	.0041	.0025	106	63	90
13	170-325	.0035	.0017	90	45	95