

SAE AMS 2431/6A

U.S. Std. Mesh/ Screen	Microns	AGB-200	AGB-170	AGB-140	AGB-100	AGB-70	AGB-50	AGB-35	AGB-30	AGB-25	AGB_18	AGB-15	AGB-12	AGB-9	AGB-6
		80% Rds	80% Rds	80% Rds	65% Rds	65% Rds	70% Rds	70% Rds	70% Rds	80% Rds	80% Rds	80% Rds	80% Rds	85% Rds	90% Rds
7	2800	100													
8	2360	95-100	100												
10	2000	0-10	95-100	100											
12	1700		0-10	95-100											
14	1400			0-10	100										
16	1180	0-3			95-100										
18	1000		0-3		0-10	100									
20	850			0-3		95-100									
25	710					0-10	100								
30	600				0-3		95-100								
35	500						0-10	100							
40	425					0-3		95-100	100						
45	355							0-10	95-100	100					
50	300						0-3		0-10	95-100					
60	250									0-10	100				
70	212							0-3			95-100	100			
80	180								0-3		0-10	95-100	100		
100	150									0-3		0-10	95-100		
120	125												0-10	100	
140	106										0-3			95-100	
170	90											0-3		0-10	100
200	75												0-3		95-100
230	63														0-10
270	53													0-3	
325	45														
400	38														0-3

VERIFICATION: Sieve sizes and standards according to A.S.T.M. Norms (ASTM-D-1155-53)