

10-14 Size Corn Cob

U.S. Standard Screen #	Retained On U.S. Standard Screen #	Particle Size Distribution		
		Typical %	Min. %	Max. %
-	10	0	0	1
10	14	64		
14	20	35		
20	30	1		
30	-	0	0	1

Bulk Density: 26 - 32 pounds per cubic foot
Moisture: Not more than 8%





1014 Grade is the largest of the three most common industrial grades (1014, 1420, 2040). It is commonly used in tumbling and vibratory finishing. Polishing brass bullet casings is a common application. It is also used as a blasting media, but usually for hard substrates such as steel and concrete. In general it would be too aggressive for wood.

