

## 14-20 Size Corn Cob

Passing  U.S. Standard Screen #	Retained On U.S. Standard Screen #	Particle Size Distribution		
		Typical %	Min. %	Max. %
-	14	0	0	2
14	20	77		
20	30	22		
30	40	0.5		
40	-	0	0	1

**Bulk Density:** 26 - 31 pounds per cubic foot  
**Moisture:** Not more than 8%





1420 Grade is the medium-sized particles for the three common industrial grades (1014, 1420, 2040). It is used in the same applications as 1014. The selected grade is usually determined by evaluating the likelihood of particles passing through or getting caught in cavities or holes in the parts being mass-finished. It can also be used as a blasting media, and like 1014, it is probably too aggressive for most wood substrates.

