DUST COLLECTION

SANDING & GRINDING BOOTHS | DUST COLLECTION MODULES





SANDING BOOTHS

Typically used in batch and low- to medium-production applications, this dust collection booth features an open-face design, two-stage filtration system and high-capacity, low-noise recirculation fan for maintaining a high-performance application environment.



BOOTH FEATURES:

- 18-gauge galvanized steel panels
- Smooth interior for easy maintenance
- Primary filtration system with full set of filters, grids and manometer for filter maintenance
- MERV 14-rated redundant filters
- High-performance, direct-drive plug fan with TEFC motor
- Four-tube, T8 fluorescent light fixture(s)
- Designed to comply with applicable NFPA and OSHA standards

OPTIONS:

- Pre-coated white panels
- Additional sidewall or ceiling light fixtures
- T8 LED lamps
- HEPA filters
- Electromechanical control panel









REDUNDANT FILTERS
MERV 14 rated

SANDING BOOTHS

Standard Inside Dimensions Outside Dimensions Fan Clear Light Min. CFM	Min. CFM Wheel Motor		
Tall Oleal Light Will. Of W	Diameter	HP	
8-Foot-Wide Booths			
DNRG-080806 8' 8' 6' 8'4" 8'2" 10'2" 12'2" 1 6,400	25"	3	
DNRG-080809 8' 8' 9' 8'4" 8'2" 13'2" 12'2" 1 6,400	25"	3	
DNRG-080812 8' 8' 12' 8'4" 8'2" 16'2" 12'2" 2 6,400	25"	3	
DNRG-081006 8' 10' 6' 8'4" 10'2" 10'2" 14'2" 1 8,000	25"	3	
DNRG-081009 8' 10' 9' 8'4" 10'2" 13'2" 14'2" 1 8,000	25"	3	
DNRG-081012 8' 10' 12' 8'4" 10'2" 16'2" 14'2" 2 8,000	25"	3	
10-Foot-Wide Booths			
DNRG-100806 10' 8' 6' 10'4" 8'2" 10'2" 12'2" 2 8,000	25"	3	
DNRG-100809 10' 8' 9' 10'4" 8'2" 13'2" 12'2" 2 8,000	25"	3	
DNRG-100812 10' 8' 12' 10'4" 8'2" 16'2" 12'2" 4 8,000	25"	3	
DNRG-101006 10' 10' 6' 10'4" 10'2" 10'2" 14'11" 2 10,000	28"	5	
DNRG-101009 10' 10' 9' 10'4" 10'2" 13'2" 14'11" 2 10,000	28"	5	
DNRG-101012 10' 10' 12' 10'4" 10'2" 16'2" 14'11" 4 10,000	28"	5	
12-Foot-Wide Booths			
DNRG-120806 12' 8' 6' 12'4" 8'10" 10'2" 12'11" 2 9,600	28"	3	
DNRG-120809 12' 8' 9' 12'4" 8'10" 13'2" 12'11" 2 9,600	28"	3	
DNRG-120812 12' 8' 12' 12'4" 8'10" 16'2" 12'11" 4 9,600	28"	3	
DNRG-121006 12' 10' 6' 12'4" 10'10" 10'2" 14'11" 2 12,000	28"	5	
DNRG-121009 12' 10' 9' 12'4" 10'10" 13'2" 14'11" 2 12,000	28"	5	
DNRG-121012 12' 10' 12' 12'4" 10'10" 16'2" 14'11" 4 12,000	28"	5	
14-Foot-Wide Booths	00"	_	
DNRG-140806 14' 8' 6' 14'4" 8'10" 10'2" 12'11" 2 11,200	28"	5	
DNRG-140809 14' 8' 9' 14'4" 8'10" 13'2" 12'11" 2 11,200	28"	5	
DNRG-140812 14' 8' 12' 14'4" 8'10" 16'2" 12'11" 4 11,200	28"	5	
DNRG-141006 14' 10' 6' 14'4" 10'10" 10'2" 15'4" 2 14,000 DNRG-141009 14' 10' 9' 14'4" 10'10" 13'2" 15'4" 2 14,000	38"	5	
	38"	5 5	
DNRG-141012 14' 10' 12' 14'4" 10'10" 16'2" 15'4" 4 14,000 16-Foot-Wide Booths	30	3	
DNRG-160806 16' 8' 6' 16'4" 8'10" 10'2" 12'11" 2 12,800	28"	5	
DNRG-160809 16' 8' 9' 16'4" 8'10" 13'2" 12'11" 2 12,800	28"	5	
DNRG-160812 16' 8' 12' 16'4" 8'10" 16'2" 12'11" 4 12,800	28"	5	
DNRG-161006 16' 10' 6' 16'4" 10'10" 10'2" 15'4" 2 16,000	35"	7.5	
DNRG-161009 16' 10' 9' 16'4" 10'10" 13'2" 15'4" 2 16,000	35"	7.5	
DNRG-161012 16' 10' 12' 16'4" 10'10" 16'2" 15'4" 4 16,000	35"	7.5	
18-Foot-Wide Booths		7.0	
DNRG-180806 18' 8' 6' 18'4" 8'10" 10'2" 13'4" 3 14,400	35"	7.5	
DNRG-180809 18' 8' 9' 18'4" 8'10" 13'2" 13'4" 3 14,400	35"	7.5	
DNRG-180812 18' 8' 12' 18'4" 8'10" 16'2" 13'4" 6 14,400	35"	7.5	
DNRG-181006 18' 10' 6' 18'4" 10'10" 10'2" 15'4" 3 18,000	35"	7.5	
DNRG-181009 18' 10' 9' 18'4" 10'10" 13'2" 15'4" 3 18,000	35"	7.5	
DNRG-181012 18' 10' 12' 18'4" 10'10" 16'2" 15'4" 6 18,000	35"	7.5	
20-Foot-Wide Booths			
DNRG-200806 20' 8' 6' 20'4" 8'10" 10'2" 13'4" 4 16,000	35"	7.5	
DNRG-200809 20' 8' 9' 20'4" 8'10" 13'2" 13'4" 4 16,000	35"	7.5	
DNRG-200812 20' 8' 12' 20'4" 8'10" 16'2" 13'4" 8 16,000	35"	7.5	
DNRG-201006 20' 10' 6' 20'4" 10'10" 10'2" 15'4" 4 20,000	35"	7.5	
DNRG-201009 20' 10' 9' 20'4" 10'10" 13'2" 15'4" 4 20,000	35"	7.5	
DNRG-201012 20' 10' 12' 20'4" 10'10" 16'2" 15'4" 8 20,000	35"	7.5	

SANDING & GRINDING BOOTHS

Designed for both sanding and grinding applications, this high-production dust collection booth features an open face booth design, fully assembled dust collection modules and high-capacity, low-noise fan for capturing dust and recirculating clean air.



BOOTH FEATURES

- 18-gauge galvanized steel panels, precision-flanged and pre-punched for easy assembly
- Heavy-duty, high-capacity plug fan
- Smooth interior for easy maintenance
- Fully assembled module(s) with cartridge filters
- MERV 13-rated redundant filters
- Energy-efficient, inside-access light fixture(s)
- Designed to comply with applicable NFPA and OSHA standards

OPTIONS

- Pre-coated white panels
- Fire retardant, acoustical, washable liner
- Conveyor openings
- Booth extensions
- Product doors
- Deluxe control panel







globalfinishing.com

SANDING & GRINDING BOOTHS

Standard	Insi	Inside Dimensions			side Dimens	sions			Collector Type / Qty.		
Model No.	Width	Height	Depth*	Width	Height	Depth	No. of Lights	Total CFM	DCM-4	DCM-7	
6-Foot-Wide Booths											
DCBG-060806	6'	8'	6'	6' 4"	8' 2"	10'	1	5,120	1		
DCBG-060809	6'	8'	9'	6' 4"	8' 2"	13'	1	5,120	1		
DCBG-060812	6'	8'	12'	6' 4"	8' 2"	16'	2	5,120	1		
DCBG-061006	6'	10'	6'	6' 4"	10' 2"	10'	1	8,960		1	
DCBG-061009	6'	10'	9'	6' 4"	10' 2"	13'	1	8,960		1	
	6'		12'	6' 4"	10'2"	16'	2	· · · · · · · · · · · · · · · · · · ·			
DCBG-061012	6	10'	12	6.4"	10.5.	16	2	8,960		1	
10-Foot-Wide Booths	01	01	01	01.411	01.01	4.01	,	0.000			
DCBG-080806	8'	8'	6'	8' 4"	8' 2"	10'	1	8,960		1	
DCBG-080809	8'	8'	9'	8' 4"	8' 2"	13'	1	8,960		1	
DCBG-080812	8'	8'	12'	8' 4"	8' 2"	16'	2	8,960		1	
DCBG-081006	8'	10'	6'	8' 4"	10' 2"	10'	1	10,240	2		
DCBG-081009	8'	10'	9'	8' 4"	10' 2"	13'	1	10,240	2		
DCBG-081012	8'	10'	12'	8' 4"	10' 2"	16'	2	10,240	2		
10-Foot-Wide Booths											
DCBG-100806	10'	8'	6'	10' 4"	8' 2"	10' 2"	2	10,240	2		
DCBG-100809	10'	8'	9'	10' 4"	8' 2"	13'	2	10,240	2		
DCBG-100812	10'	8'	12'	10' 4"	8' 2"	16'	4	10,240	2		
DCBG-101006	10'	10'	6'	10' 4"	10' 2"	10' 2"	2	14,080	1	1	
DCBG-101009	10'	10'	9'	10' 4"	10' 2"	13'	2	14,080	1	1	
DCBG-101012	10'	10'	12'	10' 4"	10' 2"	16'	4	14,080	1	1	
12-Foot-Wide Booths	10	10	12	10 4	10 2	10	7	17,000	<u>'</u>	1	
DCBG-120806	101	8'	G!	101.411	01.1011	101	2	14.000	4	4	
	12'		6'	12' 4"	8' 10"	10'	2	14,080	1	1	
DCBG-120809	12'	8'	9'	12' 4"	8' 10"	13'	2	14,080	1	1	
DCBG-120812	12'	8'	12'	12' 4"	8' 10"	16'	4	14,080	1	1	
DCBG-121006	12'	10'	6'	12' 4"	10' 10"	10'	2	14,080	1	1	
DCBG-121009	12'	10'	9'	12' 4"	10' 10"	13'	2	14,080	1	1	
DCBG-121012	12'	10'	12'	12' 4"	10' 10"	16'	4	14,080	1	1	
14-Foot-Wide Booths											
DCBG-140806	14'	8'	6'	14' 4"	8' 10"	10'	2	14,080	1	1	
DCBG-140809	14'	8'	9'	14' 4"	8' 10"	13'	2	14,080	1	1	
DCBG-140812	14'	8'	12'	14' 4"	8' 10"	16'	4	14,080	1	1	
DCBG-141006	14'	10'	6'	14' 4"	10' 10"	10'	2	17,920		2	
DCBG-141009	14'	10'	9'	14' 4"	10' 10"	13'	2	17,920		2	
DCBG-141012	14'	10'	12'	14' 4"	10' 10"	16'	4	17,920		2	
16-Foot-Wide Booths								11,0_0			
DCBG-160806	16'	8'	6'	16' 4"	8' 10"	10'	2	17,920		2	
DCBG-160809	16'	8'	9'	16' 4"	8' 10"	13'	2	17,920		2	
			-		1						
DCBG-160812	16'	8'	12'	16' 4"	8' 10"	16'	4	17,920	0	2	
DCBG-161006	16'	10'	6'	16' 4"	10' 10"	10'	2	19,200	2	1	
DCBG-161009	16'	10'	9'	16' 4"	10' 10"	13'	2	19,200	2	1	
DCBG-161012	16'	10'	12'	16' 4"	10' 10"	16'	4	19,200	2	1	
18-Foot-Wide Booths											
DCBG-180806	18'	8'	6'	18' 4"	8' 10"	10'	3	17,920		2	
DCBG-180809	18'	8'	9'	18' 4"	8' 10"	13'	3	17,920		2	
			_	18' 4"	8' 10"	16'	6	17,920		2	
DCBG-180812	18'	8'	12'	10 4	0.0						
DCBG-180812 DCBG-181006	18' 18'	8' 10'	12' 6'	18' 4"	10' 10"	10'	3	23,040	1	2	
			1		1	10' 13'	3	23,040 23,040	1	2	
DCBG-181006	18'	10'	6'	18' 4"	10' 10"			•			
DCBG-181006 DCBG-181009 DCBG-181012	18' 18'	10' 10'	6' 9'	18' 4" 18' 4"	10' 10" 10' 10"	13'	3	23,040	1	2	
DCBG-181006 DCBG-181009 DCBG-181012 20-Foot-Wide Booths	18' 18' 18'	10' 10' 10'	6' 9' 12'	18' 4" 18' 4" 18' 4"	10' 10" 10' 10" 10' 10"	13' 16'	3 6	23,040 23,040	1	2 2	
DCBG-181006 DCBG-181009 DCBG-181012 20-Foot-Wide Booths DCBG-200806	18' 18' 18' 20'	10' 10' 10' 8'	6' 9' 12'	18' 4" 18' 4" 18' 4" 20' 4"	10' 10" 10' 10" 10' 10" 8' 10"	13' 16'	3 6	23,040 23,040 19,200	1 1 2	2 2	
DCBG-181006 DCBG-181009 DCBG-181012 20-Foot-Wide Booths DCBG-200806 DCBG-200809	18' 18' 18' 20' 20'	10' 10' 10' 8' 8'	6' 9' 12' 6' 9'	18' 4" 18' 4" 18' 4" 20' 4" 20' 4"	10' 10" 10' 10" 10' 10" 8' 10" 8' 10"	13' 16' 10' 13'	3 6 4 4	23,040 23,040 19,200 19,200	1 1 2 2	2 2 1 1	
DCBG-181006 DCBG-181009 DCBG-181012 20-Foot-Wide Booths DCBG-200806 DCBG-200809 DCBG-200812	18' 18' 18' 20' 20' 20'	10' 10' 10' 8' 8' 8'	6' 9' 12' 6' 9' 12'	18' 4" 18' 4" 18' 4" 20' 4" 20' 4" 20' 4"	10' 10" 10' 10" 10' 10" 8' 10" 8' 10" 8' 10"	13' 16' 10' 13' 16'	3 6 4 4 8	23,040 23,040 19,200 19,200 19,200	1 1 2 2 2	2 2 1 1 1	
DCBG-181006 DCBG-181009 DCBG-181012 20-Foot-Wide Booths DCBG-200806 DCBG-200809 DCBG-200812 DCBG-201006	18' 18' 18' 20' 20' 20' 20'	10' 10' 10' 8' 8' 8' 10'	6' 9' 12' 6' 9' 12' 6'	18' 4" 18' 4" 18' 4" 20' 4" 20' 4" 20' 4"	10' 10" 10' 10" 10' 10" 8' 10" 8' 10" 8' 10" 10' 10"	13' 16' 10' 13' 16' 10'	3 6 4 4 8 4	23,040 23,040 19,200 19,200 19,200 23,040	1 1 2 2 2 2	2 2 1 1 1 2	
DCBG-181006 DCBG-181009 DCBG-181012 20-Foot-Wide Booths DCBG-200806 DCBG-200809 DCBG-200812	18' 18' 18' 20' 20' 20'	10' 10' 10' 8' 8' 8'	6' 9' 12' 6' 9' 12'	18' 4" 18' 4" 18' 4" 20' 4" 20' 4" 20' 4"	10' 10" 10' 10" 10' 10" 8' 10" 8' 10" 8' 10"	13' 16' 10' 13' 16'	3 6 4 4 8	23,040 23,040 19,200 19,200 19,200	1 1 2 2 2	2 2 1 1 1	

DUST COLLECTION MODULES

Integrated into our Sanding and Grinding Booths or sold separately, Dust Collection Modules from GFS provide a safe, effective means for containing dust produced from sanding and grinding applications. With the help of a direct-drive fan and motor, air is pulled into the module and through a cartridge filtration system. Dust is filtered, and clean air is exhausted back into the plant.



FEATURES

- Factory assembled
- High-efficiency cartridge filtration system
- MERV 13-rated redundant filters
- Heavy-duty construction
- 12-gauge painted mild steel
- Direct-drive blower and motor
- Compressed air requirements: clean filtered dry air, 6 CFM at 80 to 100 psi
- Designed to comply with applicable NFPA and OSHA standards
- Choose door type:


Open louver for dust and sanding **Spark arrestor** for all grinding applications

OPTIONS

- Deluxe control panel
- HEPA filtration

HEPA FILTRATION

Modules can be offered with an additional HEPA filtration system. These models obtain 99.9 percent efficiency at 0.3 microns, and include a magnahelic gauge to monitor HEPA filtration performance.



F	Performa	nce Data	L			Specifica	tions	Anny Shin	Optional Deluxe		
Blower HP	No. Filters	Sq. Ft. Filters	SCFM	Width	Height	Depth*	Dust Stor. (cu. ft.)	Air-Filter Ratio	Weight (lbs)	Control Panel	
Wood & Metals (not recommended for combustible metals)											
5	9	1,719	5,120	4'	8' 2"	4'	4.8	3.0:1	1,550	SBCP-105	
7.5	15	2,865	8,960	7'	8' 2"	4'	8.4	3.1:1	2,400	SBCP-107	
Fiberglass, Laminates & Composites											
5	9	1,719	5,120	4'	8' 2"	4'	4.8	3.0:1	1,550	SBCP-105	
7.5	15	2,865	8,960	7'	8' 2"	4'	8.4	3.1:1	2,400	SBCP-107	
	Blower HP not reco	Blower No. Filters not recommend 5 9 7.5 15 nates & Compo	No. Sq. Ft.	5 9 1,719 5,120 7.5 15 2,865 8,960 nates & Composites 5 9 1,719 5,120	Blower HP	No. Sq. Ft. SCFM Width Height	Blower No. Sq. Ft. SCFM Width Height Depth*	Blower No. Sq. Ft. SCFM Width Height Depth* Dust Stor.	Blower No. Sq. Ft. SCFM Width Height Depth* Dust Stor. Air-Filter Ratio	Blower No. Sq. Ft. SCFM Width Height Depth* Dust Stor. Ccu. ft.) Air-Filter Ratio Weight (lbs)	

			Specifications					Optional						
HEPA Filtration Model No.	Blower HP	No. of Primary Filt.	Sq. Ft. Primary Filt.	No. of HEPA Filt.	Sq. Ft. HEPA Filt.	SCFM	F.P.M. Clean	F.P.M. Dirty	Width	Height	Depth*	Dust Stor.	Air Flow Ratio	Deluxe Control Panel
Wood & Metals (not recommended for combustible metals)														
DCM-4H-SG	7.5	9	1,719	4	1,560	5,120	140	120	4'	10' 2"	4'	4.8	3.0:1	SBCP-110
DCM-7H-SG	10	15	2,865	6	2,340	8,960	140	120	7'	10' 2"	4'	8.4	3.1:1	SBCP-115
Fiberglass, Laminates & Composites														
DCM-4H-CO	7.5	9	1,719	4	1,560	5,120	140	120	4'	10' 2"	4'	4.8	3.0:1	SBCP-110
DCM-7H-CO	10	15	2,865	6	2,340	8,960	140	120	7'	10' 2"	4'	8.4	3.1:1	SBCP-115

*Working depth determined by door type and size

GLOBALFINISHING.COM

800-848-8738 • info@globalfinishing.com

© 2019 Global Finishing Solutions®. All Rights Reserved. • rev.08272019

