

# Apollo 60 and 600

## Features and Comparisons Guide



Apollo 60

Apollo 600



**CLEMCO**



ISO 9001-2000 Certified

# The **Apollo 60**



- **2-Lens System**

Fixed inner  
Perforated Outer

- The Apollo is known for its high-visibility safety red-orange color.
- The air supply inlet, located in the center rear of the helmet—an ever popular feature—keeps the operator balanced and does not interfere with work-related movement.
- A hallmark of the Apollo is its large, wide, view window offering the benefit of an expansive view of the work piece, broad peripheral vision to alert the blaster to activity in the area, and the security of protection without the feeling of claustrophobia. The Apollo offers the largest view window of any respirator on the market.

- The Apollo 60 cape is red and the Apollo 600 cape is silver-grey.



- Both models have a red washable zip-in zip-out inner collar that makes keeping it clean a snap.

## **Apollo Lenses**

In order for the lenses to securely fit both helmets, certain changes were necessary. The perforated, tear-away 04361 lenses that fit both the Apollo 60 and 600 are packaged in a blue-tint plastic bag. Those 04361 lenses packaged in a clear plastic bag will fit the Apollo 60 only. The fixed inner lenses (04367) and the non-perforated lenses (04373) fit both the Apollo 60 and 600.



# The Apollo 600

- **3-Lens System**

Fixed inner  
Intermediate  
Perforated Outer  
(Optional Rectangular Lens)



- The Apollo 600 has a heavy-duty shell with replaceable acoustic foam pads. An air baffle delivers a generous amount of air to the operator's head and face area.

- The 600's shell is dome-shaped as distinguished from the pronounced 2-inch wide channel on the 60.

- To ease identification, the Clemco name is embossed on both sides encircled by a rib and marked Apollo 600.

- The 600's suspension is mounted to the shell and has a convenient, knob-style adjustment mechanism that adjusts to fit a broad range of sizes.



- The inlet fitting on the upper rear of the helmet is replaceable, extending the service life of the helmet.



- The cape attachment band wraps around the bottom rim of the helmet shell and easily fastens with a ratchet-style buckle to secure the cape in place.

- The Apollo 600 has a red window frame that is extra-long to protect the top of the cape from exposure to abrasive rebound.



- The Apollo 600 has an integral 1" deep visor on the top and side of the red window frame to keep out dust and abrasive from between the lenses.



- The window latch is screw-mounted and easily replaced without danger of damaging the helmet shell. The window latch tab fits into a slot to line it up for easy closure.



## Interchangeability Guide

Clemco made every effort to minimize the number of non-interchangeable parts between the two models to ease stocking requirements for our Distributors. However, in order to deliver higher performance, new features translated into new components. The following table is intended to help you identify the parts that WILL interchange and those that WILL NOT interchange.

Part Description	Fits Apollo 60	Fits Apollo 600	Interchangeable?
Inner Lens 5-pk	04367	04367	YES
Intermediate Lens 25-pk	04373	04373	YES
Intermediate Lens 5-pk	24943	24943	YES
Perforated Lens 25-pk	04361	04361	YES, but only those lens packs in blue-tint bags will fit both the Apollo 60 and 600. Lenses packed in clear bags will fit the 60 only.
Rectangular Lens 25-pk	n/a	24005	NO Fits Apollo 600 only.
Non-perforated Outer Lens 25-pk	04372	n/a	NO WSH lens fits Apollo 60 only. Not part of standard lens system.
Chin Strap	04460	04460	YES
Chinstrap Holder Kit	n/a	24008	NO
Handle Strap	03623	03623	YES
Acoustical Foam Kit	04369	04369	YES
Breathing Tube	22811	22811	YES
Helmet Window Latch Only	04449	04449	YES
Inner Collar Kit	08740	08740	YES
Window Frame Assembly	08741	24012	NO The Apollo 600 window frame is red. The Apollo 60 frame is black.
Cape with Inner Collar	04435	23818	NO The Apollo 600 cape is silver-grey. The Apollo 60 cape is red. Different attachment systems.
Cape Attachment Band	10534	23801	NO
Belt, 2" Web with Buckle	04430	04430	YES
Suspension	10532	23802	NO
Suspension Clip Set (4)	n/a	24773	NO
Suspension Sweatband	n/a	23817	NO
Window Gasket	04452	23819	NO
Window Latch Kit	04368	24006	NO
Box Front Kit	04515	n/a	NO
Air Baffle	n/a	23811	NO
Inlet Air Fitting	n/a	23804	NO
Window Latch Base	n/a	23813	NO
Respirator Hose HP 3/8" x 25 ft.	04397	04397	YES For HP models only
Respirator Hose HP 3/8" x 50 ft.	04415	04415	YES For HP models only
Respirator Hose HP 3/8" x 100 ft.	04398	04398	YES For HP models only
Respirator Hose LP 1/2" x 50 ft.	22510	22510	YES For LP models only
Respirator Hose LP 1/2" x 100 ft.	21413	21413	YES For LP models only
Air-control Valve with Belt	100024	100024	YES For HP models only
Cool-air Tube with Belt	04410	04410	YES For HP models only
Climate-control Tube with Belt	04411	04411	YES For HP models only
CFC Constant-flow Connector HP w/Belt	21422	21422	YES For HP models only
CFC Constant-flow Connector LP w/Belt	21777	21777	YES For LP models only
HP to LP Conversion Kit	22079	24812	NO Not interchangeable because kit includes respirator owner's manual.
LP to HP Conversion Kit	22080	24811	NO Not interchangeable because kit includes respirator owner's manual.

Clemco is committed to continuous product improvement. Specifications are subject to change without notice. ISO 9001-2000 Certified

© 2007 Clemco Industries Corp., Washington, MO 63090 • Ph: 636 239-4300 • Fax: 800 726-7559