

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Printing date: 25.02.2016 and US GHS Revision: 25.02.2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4,

FP 12, 54F, Crude

GHS Product Identifier Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4,

FP 12, 54F, Crude

Chemical Name Mixture (Silicon Carbide)
Trade Name See Product Identifier

CAS No. 409-21-2 **EINECS No.** 206-991-8

REACH Registration No. 01-2119402892-42-0012

1.2 Relevant Identified Uses Of The Substance Or Mixture And Uses Advised Against

Identified Use(s) Consult the supplier.

Uses Advised Against Users are recommended to seek further advice.

1.3 Details Of The Supplier Of The Safety Data Sheet
Company Identification
Address

Washington Mills
1801 Buffalo Avenue

Niagara Falls, NY 14302

Telephone 1-800-828-1666

E-Mail (Competent Person) info@washingtonmills.com

REACH Registration Company Information

Company Identification WASHINGTON MILLS ELECTRO MINERALS LTD.

Address MOSLEY ROAD, TRAFFORD PARK

Postal Code/Location MANCHESTER M17 1NR, UNITED KINGDOM

Telephone 0044 (0)161 848 0271 Fax 0044 (0)161 872 2974

Further information obtained from:

Telephone + 0044 (0)161 873 5512

E-Mail (expert) <u>clive.wood@washingtonmills.co.uk</u>

1.4 Emergency Telephone Number – ChemTel

(800)255-3924 (USA/Canada), 813-248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification Of The Substance Or Mixture

2.1.1 Classification according to Regulation (EC) No. 1272/2008 (CLP)

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Hazard Pictogram(s)



GHS08 Health hazard

Carc. 1A H350: May cause cancer. Route of exposure: Inhalative.

Additional information:

Silicon carbide is not contributing to the hazard classification of the product. Quartz is the hazard determining component.

2.2 Label Elements

2.2.1 Label Elements According to Regulation (EC) No. 1272/2008 (CLP)

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The substance is classified and labelled according to the CLP regulation.

Hazard Signal Word(s)

GHS08

GHS08

Signal Word(s)

Hazard-determining components of labelling: Quartz (SiO2)

Hazard H350: May cause cancer. Route of exposure: Inhalative.

Statement(s)

Precautionary P281: Use personal protective equipment as required.

Statement(s) P202: Do not handle until all safety precautions have been read and understood.

P308 + P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/containers in accordance with

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),

and US GHS Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

local/regional/national/international regulations.

Additional

Printing date: 25.02.2016

Restricted to professional users. information

Hazard description:

NFPA ratings (scale 0 - 4)



Health = 1Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *1 Fire = 0Reactivity = 0

* - Indicates a long term health hazard from repeated or prolonged exposures.

Revision: 25.02.2016

HMIS Long

Term Health

Other Hazards

14808-60-7

Quartz (SiO2)

Hazard **Substances**

2.3

Results of PBT PBT: Not applicable. and vPvB **vPvB:** Not applicable. assessment

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

CAS No. Description: 409-21-2 silicon carbide

Identification number(s) EC number: 206-991-8 **Dangerous Components:**

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Pictogram(s) and Hazard Statement(s)
Quartz (SiO2)	<0,5	14808-60-7	238-878-4	NA	3.6/1A H350

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures 4.1

General Information: Take affected persons out into the fresh air.

After Inhalation: Provide oxygen treatment if affected person has difficulty breathing. Supply fresh

air; consult doctor in case of complaints.

After Skin Contact: Brush off loose particles from skin. If skin irritation is experienced, consult a doctor.

Wash with soap and water.

After Eye Contact: Remove contact lenses if worn. Rinse opened eye for several minutes under

running water. If symptoms persist, consult a doctor.

After Swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for

medical help immediately.

4.2 **Most Important**

Symptoms And Effects, Both Acute **And Delayed**

Slight irritant effect on eyes. Slight irritant effect on skin and mucous membranes.

Breathing difficulty. Coughing.

Hazards May cause cancer. Route of exposure: Inhalative. Route of exposure: Inhalative.

4.3 **Indication Of The Immediate Medical**

> **Attention And Special Treatment Needed**

No further relevant information available.

Safety data sheet
According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Printing date: 25.02.2016 Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing	Use fire extinguishing methods suitable to surrounding conditions.
	Media	
	Unsuitable Extinguishing	None.
	Media	
5.2	Special Hazards Arising	No further relevant information available.
	From The Substance Or	
	Mixture	
5.3	Advice for Fire-Fighters	Wear self-contained respiratory protective device. Wear fully protective suit.
	· ·	
	Additional Information	No further relevant information available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions,	Ensure adequate ventilation. Avoid formation of dust. For large spills,
	Protective Equipment And	use respiratory protective device against the effects of
	Emergency Procedures	fumes/dust/aerosol. For large spills, wear protective clothing.
6.2	Environmental Precautions	Do not allow to enter sewers/ surface or ground water.
6.3	Methods And Material For	Pick up mechanically. Dispose contaminated material as waste
	Containment And Cleaning Up	according to item 13. Send for recovery or disposal in suitable receptacles.
6.4	Reference To Other Sections	See Section 7 for information on safe handling.
		See Section 8 for information on personal protection equipment.
		See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

7.1	Precautions For Safe Handling	Prevent formation of dust. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Any unavoidable deposit of dust must be regularly removed. Use only in well ventilated areas.
	Information About	No special measures required.
	Fire – and explosion protection	
7.2	Conditions For Safe S	torage, Including Any Incompatibilities:
	Requirements to be	No special requirements.
	Met by Storerooms	
	and Receptacles:	
	Information About	Store away from oxidizing agents. Store away from foodstuffs.
	Storage in One	
	Common Storage	
	Facility: Further information	None.
	about storage	None.
	conditions:	
7.3	Specific End Use(s)	No further relevant information available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional informa	Additional information about design of technical facilities: No further data; see item 7.					
8.1 Control Para	8.1 Control Parameters					
Ingredients with lim	Ingredients with limit values that require monitoring at the workplace:					
Silicon carbide PEL (USA) PEL (USA) Long-term value: 15*; 15** mg/m³ Fibrous dust: *total dust; ** respirable fraction						
		REL (USA)	Long-term value: 10* 5** mg/m ³			

Revision: 25.02.2016

Safety data sheet
According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

	, ,		*Total dust **Respirable fraction
		TLV (USA)	Long-term value: 10* 3** mg/m ³
		120 (00/1)	Fibrous dust: 0,1 f/cc; nonfibrous: *inh., **resp.
		FL (Conodo)	Long-term value: 10* 3** mg/m ³
		EL (Canada)	*inhalable; **respirable
		EV (Canada)	Long-term value: 10* 3** mg/m ³ , 0,1 f/cc*** ppm
		EV (Cariada)	nonfibrous: *inh., **resp.; ***fibrous, resp.
		PEL (USA)	See Quartz listing
		REL (USA)	Long-term value: 0,05* mg/m³
			*respirable dust; See Pocket Guide App. A
		TLV//LICA)	Long-term value: 0,025* mg/m ³
Quartz (SiO2)	14808-60-7	TLV (USA)	*as respirable fraction
		FL (Conodo)	Long-term value: 0,025 mg/m ³
		EL (Canada)	ACGIH A2; IARC 1
		FV (Canada)	Long-term value: 0,10* mg/m³
		EV (Canada)	*respirable fraction

DNELs No further relevant information available. PNECs No further relevant information available.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure Controls

Printing date: 25.02.2016

Personal protective equipment:

8.2	Exposure Contro	hygienic measures: ols			
8.2.2	Personal Protective Equipment:				
	General protective and hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.			
	Respiratory Protection	Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable.			
	Eye Protection	Wear safety glasses.			
	Protection of Hands	Wear protective gloves.			
	Body Protection	Not required under normal conditions of use. Protection may be required for spills.			
	Limitation and supervision of exposure into the environment	No further relevant information available.			
	Risk Management Measures	No further relevant information available. See Section 7 for additional information.			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information On Basic Physical And Chemical Properties					
	Appearance	Granulate	Color	Black		
	Odor	Odorless	Odor Threshold (ppm)	Not available		
	Melting Point (°C) / Freezing Point (°C)	Not available	Boiling Point/Boiling Range (°C)	Not available		
	Flash Point (°C)	No Data	Explosive Limit Ranges	Not available		
	Auto Ignition	Not available	Decomposition Temperature (°C)	Not available		

Revision: 25.02.2016

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), Printing date: 25.02.2016

and US GHS Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

Temperature (°C) **Explosive Properties** Oxidizing Properties Not available None Flammability (Solid, Gas) Not available Ph (Value) Not available Not available **Evaporation Rate** N/A Vapor Pressure (mm Hg) Vapor Density (Air=1) Density (g/ml) 3.19 g/cm3 N/A Solubility (Water) Insoluble Solubility (Other) Not available

Partition Coefficient (N-Not available Viscosity (mPa.s) Not available Octanol/Water)

9.2 Other Information Volatile Organic Chemical (VOC) Content - Not Available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Chemical Stability 10.2

> Thermal Decomposition / conditions No decomposition if used according to specifications.

to be avoided:

10.3 **Possibility of Hazardous Reactions** Reacts with strong alkali. Reacts with strong oxidising agents.

10.4 **Conditions To Avoid** No further relevant information available. 10.5 **Incompatible Materials** No further relevant information available.

10.6 Hazardous Decomposition Product(s) Possible in traces.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Acute toxicity:

Primary Irritant Effect:

On the skin: Slight irritant effect on skin and mucous membranes.

On the eye: Slight irritant effect on eyes. Sensitisation: No sensitizing effects known.

Additional toxicological

information:

May cause cancer. Route of exposure: Inhalative.

Acute effects (acute toxicity, Irritating if inhaled, causing symptoms of coughing and irritation, and corrosivity): shortness of breath.

Repeated dose toxicity: May cause damage to organs through prolonged or repeated

exposure. Repeated exposures may result in skin and/or

respiratory sensitivity.

CMR effects (carcinogenity,

mutagenicity, and toxicity for

reproduction):

Carc. 1A

SECTION 12: ECOLOGICAL INFORMATION

Toxicity No data

Aquatic toxicity: No further relevant information available. 12.2 Persistence and Degradability No further relevant information available. 12.3 **Bioaccumulative Potential** No further relevant information available. No further relevant information available.

12.4 **Mobility in Soil**

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment):

> slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Danger to drinking water if even small quantities

leak into the ground. Results of PBT and vPvB 12.5 **PBT:** Not applicable.

Assessment vPvB: Not applicable.

Other Adverse Effects No further relevant information available. 12.6

Page: 5/7

Revision: 25.02.2016

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Recommendation Must not be disposed together with household garbage. Do not allow

product to reach sewage system. Contact waste processors for recycling information. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials

Revision: 25.02.2016

should be treated as hazardous.

Uncleaned Packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

Land Transport (ADR/RID)	(c)(d)	Land Transport (Within U	JSA) (b)(d)
UN Number	None	UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None	Transport Hazard Class(es)	None
Packing Group	None	Packing Group	None
Hazard Label(s)	None	Hazard Label(s)	None
Environmental Hazards	None	Environmental Hazards	None
Special Precautions For User	None	Special Precautions For User	None
Sea Transport (IMDG) (c)		Air Transport (ICAO/IATA) (c) (d)
UN Number	None	UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None	Transport Hazard Class(es)	None
Packing Group	None	Packing Group	None
Marine Pollutant	None	Marine Pollutant	None
Special Precautions For User	None	Special Precautions For User	None

- (b)- ORM-D may be applicable within the USA for package sizes less than 30kg.
- (c)- Consult with transport provider.
- (d)- Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health And Environmental Regulations/Legislation Specific For The Substance Or Mixture

USA

SARA

Section 355 (extremely hazardous Substance is not listed.

substances)

SARA 313 (Specific toxic chemical listings)

Substance is not listed.

TSCA (Toxic Substance Control Act)

Substance is listed.

Proposition 65 (California):

Chemicals known to cause cancer: 14808-60-7 Quartz (SiO2)
Chemicals known to cause reproductive Substance is not listed.

toxicity for females:

Chemicals known to cause reproductive Substance is not listed.

toxicity for males:

Chemicals known to cause developmental

Substance is not listed.

toxicity:

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),

Printing date: 25.02.2016 and US GHS Revision: 25.02.2016

Carborax C-6 Number 1 PE PA WSC G-21 G3PB C-6 HBD C-6 SK EP 4 EP 13 545 Crude (See Page 1)

15.2	Chemical Safety Assessment	A Chemical Safety Assessment has not been car	ried out.
	Substances of very high concern (SVHC) according to REACH, Article 57	Substance is not listed.	
	Other regulations, limitations and prohibiti	•	
	Canada Ingredient Disclosure list (limit 1%)	Substance is not listed.	
	Canadian Ingredient Disclosure list (limit 0.1%)	Substance is not listed.	
	Canadian Domestic Substances List (DSL)	Substance is listed.	
	Occupational Safety and Health) Canada	14000-00-7 Quartz (0102)	
	NIOSH-Ca (National Institute for	14808-60-7 Quartz (SiO2)	
	Concentration)	14808-60-7 Quartz (SiO2)	1
	MAK (German Maximum Workplace	409-21-2 silicon carbide	2
	TLV (Threshold Limit Value established by ACGIH)	409-21-2 silicon carbide 14808-60-7 Quartz (SiO2)	A2 A2
	IARC (International Agency for Research on Cancer)	14808-60-7 Quartz (SiO2)	1
	EPA (Environmental Protection Agency)	Substance is not listed.	
	Carcinogenic Categories		

SECTION 16: OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Additional information:

- The accumulation of airborne dust particles may lead to health and safety risks in some cases. The use of good industrial practices will mitigate this risk.
- The health risks from inhalation of dust particles vary; this is due to particle concentration, exposure length, number of
 exposures and type of particles inhaled. Please read Section 2,4,6,7 and 8 of the SDS to understand these potential
 risks. Wear personal protective equipment and follow storage and handling procedures to maintain a safe workplace.
- In rare instances, combustible dusts may represent a potential explosion hazard when airborne. This hazard is often associated with organic dust such as foodstuffs and coal, but may also occur with mineral products. While the majority of our products would be considered non-combustible, the overall airborne environment should be considered when determining the need for mitigation from the potential hazard. Consult recognized experts when necessary in order to determine any possible hazard.

Please read the SDS for specific information concerning these hazards, and contact us with any further questions. We appreciate your continued business.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

Page: 7/7

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstract Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com