

SAFETY DATA SHEET (Previously identified as MSDS: Material Safety Data Sheet)

Issue Date 15-November-2014 Revision Date 18 January 2019 Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: AEROGREEN AC10 Rust Remover and Metal Prep Ready Wipes

Other Means of Identification AeroGreen, Aero-Green, AC10 Rust Remover

SDS # AC10 RW

Recommended Use of the Chemical and Restrictions on Use

Recommended Use removing rust from metal surfaces and profiling metal to increase coating adhesions.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Hi-Lite Solutions P.O. Box 399 1285 Brucetown Road Clear Brook VA 22624

Emergency Telephone Number

 Company Phone Number
 1-540-450-8375

 Emergency Telephone
 1-540-450-8375

2. HAZARDS IDENTIFICATION

Classification

Infused wipes with Clear Liquid with no odor

Skin corrosion/irritation Category 1 Sub-category B
Serious eye damage/eye irritation Category 1
Hazard Statements Causes severe skin burns and eye damage



C: Corrosion

Signal Word Danger

<u>Precautionary Statements - Prevention</u>

Keep out of reach of children Wash thoroughly after handling Do not breathe mist/vapors/spray Wear protective gloves/eye protection

<u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

AC-10 RW Rust Remover and Metal Prep

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

<u>Precautionary Statements - Storage</u> Store locked up Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Revision Date: 18 January 2019

NFPA ratings (scale 0 - 4)



3 Health = 3

0 Fire = 0

REACTIVITY 0 Reactivity = 0

HMIS Long Term Health Hazard Substances: None of the ingredient is listed.

Other Hazards

Results of PBT and vPVB assessment

PBT: Not Applicable vPvB: Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

IngredientCAS NumberPercent RangePhosphoric Acid7664-38-2>5-25%

Composition comments The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200. Composition Data Sheets (CDS) are available upon request identifying all ingredients.

*** As outlined in "The Hazard Communication Standard (HCS) (29 CFR 1910.1200(g)), revised in 2012," states that the chemical name and concentration (i.e. exact percentage) of all ingredients which are <u>classified as health hazards</u> and are: Present above their cut-off/concentration limits or Present a health risk below the cut-off/concentration limits are to be listed.

4. FIRST AID MEASURES	
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye Contact	Immediately flush with plenty of water. After 5minutes of flushing, remove contact lenses, if present. Continue flushing for at least 15 more minutes. If irritation persists seek medical attention.
Ingestion	Rinse out mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention is required.
Skin Contact	Wash thoroughly with soap and water until no traces of the chemical remain. Remove contaminated clothing and shoes. If skin irritation continues, or for blistering or open wounds immediate medical attention is required.

Most Important Symptoms and Effects, both Acute and Delayed Symptoms

May cause skin irritation with redness and swelling.

May cause gastrointestinal perforation

Danger of pulmonary edema

Danger of impaired breathing

Indication of any Immediate Medical Attention and Special Treatment

Needed Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known. Cool containers exposed to flames with water until well after the fire is out.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal PrecautionsAvoid contact with skin, eyes. Wear appropriate protective clothing and equipment to prevent

contact.

Environmental Precautions Do not allow into open waterways or ground water systems.

Methods for Containment Dike spill and prevent spill from entering sewers and waterways. Collect using an inert

absorbent material and place in appropriate containers for disposal.

Methods Cleaning Up Wash spill area with plenty of water. Keep in suitable, closed containers for disposal. Spills

and releases may have to be reported to Federal and/or local authorities. See section 15.

Revision Date: 18 January 2019

7. HANDLING AND STORAGE

Precautions for Safe Handling Protect container from physical damage. Ensure good ventilation/exhaust in the workplace.

Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Do not store in metal containers.

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 18 January 2019

Exposure Guidelines

Phosphoric Acid TWA: 1 STEL: 3 (mg/m3) from ACGIH (TLV) [United States] TWA: 1 STEL: 3 (mg/m3) from OSHA (PEL) [United States] TWA: 1 STEL: 3 (mg/m3) from NIOSH TWA: 1 STEL: 3 (mg/m3) [Mexico] Consult local authorities for acceptable exposure limits.

Appropriate Engineering Controls

Engineering Controls Provide natural or mechanical ventilation to control exposure levels below airborne

exposure limits. Showers. Eyewash stations.

Individual Protection Measures, such as Personal Protective Equipment



Skin and Body Protection: Butyl rubber or other impervious gloves should be used for prolonged exposure or for dermal sensitive individuals are required.



Eye/Face Protection: Wear approved safety goggles if splashing or spray back is likely.

Respiratory: Use in well ventilated area. Use suitable respiratory protective device in case of insufficient

Ventilation. Use suitable respiratory protective device when aerosol or mist is formed.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State White clothes infused with clear liquid

Color Clear
Odor None
Flash Point >212 F

Boiling Point 101 C (213.8 F) Evaporation Rate Not determined

Solubility in Water 100%

Freezing Point 0.3.33 C (32-38F)

pH 2.0-4.5

Vapor Pressure
Vapor Density
Specific Gravity (H20=1)
VOC
Note determined
Not determined
0.99-1.03
None

Autoignition Temperature Non-flammable

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

AC-10 RW Rust Remover and Metal Prep

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur

Conditions to Avoid

Reacts with metals forming hydrogen. Reacts with various metals. Reacts with alkalis. Contact with metal and alkalis may release flammable hydrogen gas.

Revision Date: 18 January 2019

Incompatible Materials

Acids. Alkali. Caustic Sulfides. Cyanides. Organic peroxides. Halogenated organics. Sulfur oxides. Ammonia.

Hazardous Decomposition Products

Thermal decomposition may yield toxic hydrogen fluoride, nitric oxides and ammonia. Phosphorous oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Chemical Name Oral LD50 Dermal LD50 Inhalation LC50 Phosphoric acid = 1530 mg/kg (Rat) = 2730 mg/kg (Rabbit) > 850 mg/m3 (Rat) 1 h

7664-38-2

Eye ContactCauses severe eye damage.Skin ContactCauses severe skin burns.IngestionHarmful if swallowedInhalationHarmful if inhaled.

Symptoms May cause respiratory irritation with coughing and labored breathing. May cause severe chemical burns with reddening and pain. Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogens: No ingredients are listed by OSHA, IARC, or NTP as known or suspected carcinogens

12. ECOLOGICAL INFORMATION

Aquatic Toxicity: No further relevant information available.

Terrestrial Toxicity: Low, based on toxicology profile

Persistence and degradability: Not determined Not determined

Bioaccumulation: Not Applicable

Other Adverse Effects Not determined

This statement was deduced from products with a similar structure composition.

13. DISPOSAL CONSIDERATIONS

Revision Date: 18 January 2019

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Phosphoric Acid 7664-38-2 California Hazardous Waste Status: Corrosive.

Dispose of used or unused product, and empty containers in accordance with the local, State, Provincial, and Federal Regulations for your location. Never dispose of used degreasing water, containing low concentrations of contaminants, resulting from the cleaning of containers etc. into lakes, streams, and open bodies of water or storm drains.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

DOT, ADR, IMDG, IAT UN1760 Phosphoric Acid, solutions, mixture

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (mixture contains phosphoric acid)

Hazard Class 8 Packing Group III

IATA UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (mixture contains phosphoric acid)

Hazard Class 8 Packing Group III

IMDG, UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (mixture contains phosphoric acid)

Hazard Class 8 Packing Group III

Marine Pollutant No

15. REGULATORY INFORMATION

International Inventories

TSCA Listed
DSL Listed
EINECS Listed
AICS Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical

AC10 RW Date: May 5, 2018

Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA Title III: Sections 313 - (Specific toxic chemical listings) 7664-38-2 Phosphoric acid

> Sections 355 -None of the ingredients is listed. Sections 302 -None of the ingredients is listed.

TSCA (Toxic Substance Control Act) All ingredient are listed

Proposition 65 (California) Chemical know to cause cancer None of the ingredients is listed

State Right to Know Regulations New Jersey, Massachusetts, Pennsylvania:

EPA (Environmental Protections Agency) None of the ingredients is listed IARC (International Agency for Research Cancer) None of the ingredients is listed NIOSH Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed

CANADA WHIMIS

Canadian Domestic Substances List (DSL) None of the ingredients is listed Canadian Ingredient Disclosure List (limit0.1%) None of the ingredients is listed Canadian ingredient Disclosure List (limit 1%) Phosphoric acid 7664-38-2

Canadian Ingredient Disclosure List (limit 1%)

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by Canada's Controlled Products Regulation.

16. OTHER INFORMATION

Part Number Size Warranty1 (one) Year Shelf Life

> Batch Code: Containers of this formula will be batch coded as follows: Lot # 111213 where

AC10-PI 5- Gallon Pail "1" Number of Batch Produced

AC10-Dr 55-Gallon Drum "11" Month Batch is Produced

AC10-275T 275 Gallon Tote "21" Day in the Month Batch is produced "3" is the last digit of the year product produced AC10-330T 330 Gallon Tote

Prepared/Revised by: Hi-Lite Solutions Inc, Regulatory Department

This SDS has been revised in the following sections: ALL

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet