

Page 1/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

1 Identification

- Product identifier

- Trade name: Compound ZF 113

- Article number: 05160001130

- Application of the substance / the mixture

Process auxiliary for surface finishing

Industrial use

- Details of the supplier of the safety data sheet

- Manufacturer:

Rösler Oberflächentechnik GmbH Hausen 1 D-96231 Bad Staffelstein www.rosler.com

- Supplier:

Rösler Metal Finishing USA, L.L.C. 1551 Denso Road Battle Creek, MI 49037 USA

Phone: +1(269)441-3000 Fax: +1(269)441-3001 rosler-us@rosler.com www.rosler.us

Tel.: +49/9533/924-0

info@rosler.com

Fax: +49/9533/924-300

- Emergency telephone number:

Emergency Number (24h emergency contact): CHEMTREC Phone: (800)-424-9300

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)



Page 2/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Contd. of page 1)

- Hazard pictograms





- Signal word Danger

- Hazard-determining components of labeling:

fatty acids, C8-10

2.2'-iminodiethanol

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

2-aminoethanol

- Hazard statements

Causes skin irritation.

Causes serious eye damage.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral.

- Precautionary statements

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

♦ Skin Corr. 1B, H314; Eye Dam. 1, H318	- Dangerous components:		
68155-07-7 Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) 5-10%	68937-75-7	fatty acids, C8-10	5-10%
		♦ Skin Corr. 1B, H314; Eye Dam. 1, H318	
	68155-07-7		5-10%
		♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315	
141-43-5 2-aminoethanol 1-5%	141-43-5	2-aminoethanol	1-5%
Skin Corr. 1B, H314;		H335; Flam. Liq. 4, H227	
	111-42-2		1-5%
♦ Carc. 2, H351; STOT RE 2, H373; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315		· · · · · · · · · · · · · · · · · · ·	

(Contd. on page 3)



Page 3/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Cor	td. of page 2)
67701-05-7 Fatty acids, C8-18 and C18-unsatd.	1-5%
♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315	

- Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth with plenty of water.

Do not induce vomiting; immediately call for medical help.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

- Environmental precautions:

Do not allow product to enter sewers/ surface or ground water.

Do not allow product to penetrate the ground/soil.

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- Protective Action Criteria for Chemicals

- PAC-1:	
141-43-5 2-aminoethanol	6 ppm
	(Contd. on page 4)





Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

		(Contd. of page 3)
111-42-2	2,2'-iminodiethanol	3 mg/m³
67-63-0	propan-2-ol	400 ppm
- PAC-2:		
141-43-5	2-aminoethanol	170 ppm
111-42-2	2,2'-iminodiethanol	28 mg/m³
67-63-0	propan-2-ol	2000* ppm
- PAC-3:		
141-43-5	2-aminoethanol	1,000 ppm
111-42-2		130 mg/m ³
67-63-0	propan-2-ol	12000** ppm

7 Handling and storage

- Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store at 41°F to 86°F

Can be stored for at least 2 years.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

- Com	- Components with limit values that require monitoring at the workplace:		
141-43-5 2-aminoethanol			
PEL	Long-term value: 6 mg/m³, 3 ppm		
REL	Short-term value: 15 mg/m³, 6 ppm Long-term value: 8 mg/m³, 3 ppm		
TLV	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm		
111-42-2 2,2'-iminodiethanol			
REL	Long-term value: 15 mg/m³, 3 ppm		
TLV	Long-term value: 1* mg/m³, 0.2* ppm Skin; *inhalable fraction and vapor		
	(Contd. on page 5)		

(Contd. on page 5)



Page 5/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Contd. of page 4)

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

- Breathing equipment:

Not necessary in case of intended use.

Use suitable respiratory protective device if vapors occur or aerosol is formed.

Filter A/P2

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves

e.g.

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Liquid Color: Blue

- Odor: Characteristic

- pH-value at 20°C (68°F): 9.5 (\pm 0.3) - pH-Value; 5g/l at 20°C (68°F): 8.9 (\pm 0.3) - Melting point/Melting range: Undetermined.

(Contd. on page 6)



Page 6/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Contd. of page 5)

- Boiling point/Boiling range: Undetermined.

- Flash point: Not applicable.

- Flammability (solid, gaseous): Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- Danger of explosion: Product does not present an explosion hazard.

- Explosion limits:

Lower: Not determined. Upper: Not determined.

- Vapor pressure at 20 °C (68 °F) at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

- **Density at 20°C (68°F):** 1.008 (± 0.010) g/cm³ (8.412 (± 0.083) lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

- Solubility in / Miscibility with

Water: Fully miscible.

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:

Kinematic: Not determined.

Dynamic at 22°C (72°F): 18 - 27 mPa.s

- Other information No further relevant information available.

10 Stability and reactivity

- Reactivity No dangerous reactions in case of intended use.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions No dangerous reactions in case of intended use.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: None in case of intended use and storage.

(Contd. on page 7)



Page 7/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Contd. of page 6)

11 Toxicological information

- Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:			
141-43-5 2-aminoethanol			
Oral	LD50	1,089 mg/kg (rat)	
Dermal	LD50	2,504 mg/kg (rabbit)	
Inhalative	LC50	1.3 mg/l (rat)	
	LC0	1.3 mg/l (rat)	
111-42-2 2,2'-iminodiethanol			
Oral	LD50	1,600 mg/kg (rat)	
Dermal	LD50	13,079 mg/kg (rabbit)	

- Primary irritant effect:

- on the skin:

Determination of Skin Corrosion Potential

Method: OECD 431 Result: Not corrosive

According to GHS regulation:

Caustic effect on skin and mucous membranes.

Causes skin irritation.

- on the eye:

This product has to be classified using the calculation set out according to GHS regulation.

Strong caustic effect.

Causes serious eye damage.

- Additional toxicological information: Corrosive

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)		
111-42-2 2,2'-iminodiethanol	2B	
67-63-0 propan-2-ol	3	
- NTP (National Toxicology Program)		
None of the ingredients is listed.		
- OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 8)



Page 8/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Contd. of page 7)

- Additional ecological information:
- COD-value (solution of 0.5% in water): 3735 mg/L
- General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities of product leak into the ground.

Avoid transfer of product into the environment.

- Results of PBT and vPvB assessment

The product contains no substance which is considered to be persistent, bioaccumulative or toxic (PBT) or as very persistent and very bioaccumulative (vPvB).

- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:

Dispose of in accordance with all applicable federal, state and local regulations.

Disposal must be made according to official regulations.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number

- DOT, ADR, ADN, IMDG, IATA Void

- UN proper shipping name

- DOT, ADR, ADN, IMDG, IATA Void

- Transport hazard class(es)

- DOT, ADR, ADN, IMDG, IATA

- Class Void

- Packing group

- DOT, ADR, IMDG, IATA Void

- Environmental hazards: Not applicable.

- Special precautions for user Not applicable.

- Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

- Transport/Additional information: Not dangerous according to the above specifications.

- UN "Model Regulation": Void

(Contd. on page 9)



Page 9/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Contd. of page 8)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- Section 355 (extremely hazardous substances):		
None of the ingredient is listed.		
- Section 313 (Specific toxic chemical listings):		
111-42-2 2,2'-iminodiethanol		
67-63-0 propan-2-ol		
- TSCA (Toxic Substances Control Act):		
	fatty acids, C8-10	
	Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)	
	2-aminoethanol	
	Fatty acids, C8-18 and C18-unsatd.	
111-42-2	2,2'-iminodiethanol	

- Proposition 65
- Chemicals known to cause cancer:

 111-42-2 2,2'-iminodiethanol
- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Cancerogenity categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

- TLV (Threshold Limit Value established by ACGIH)	
111-42-2 2,2'-iminodiethanol	A3
67-63-0 propan-2-ol	A4

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee or warranty for any specific product features and shall not establish a legally valid contractual relationship. The user is responsible for determing wether the product is suitable for its intendes conditions of use.

(Contd. on page 10)



Page 10/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2020 Version 28 Reviewed on 01/23/2020

Trade name: Compound ZF 113

(Contd. of page 9)

- Relevant phrases

H227 Combustible liquid.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral.

- Department issuing SDS:

Rösler Oberflächentechnik GmbH Department of Product Control

- Contact: SDS Coordinator

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Sources

For the preparation of this SDS information from our suppliers, information on chemicals from the European Chemicals Agency (ECHA) and data from the GESTIS database were used.

- * Data compared to the previous version altered.