



**RPB® PAINTING  
& COATING RANGE**

*Protecting you for life's best moments.*

**rpb**





## RPB® PAINTING & COATING RANGE

**We've grown far beyond what started in the 1970's as a task force to revolutionize protective equipment. Today, we protect you for life's best moments.**

Our disruptive innovation paired with our inherited knowledge of heavy industries has transformed the quality of lives and businesses. Our charitable initiatives raise over \$150,000 annually to help ensure no family is left behind. The Green Forces is now the fastest-growing elite industrial community in the world.

Enter the RPB® armory, the world's most advanced front-line armor for industry professionals consisting of supplied and powered air respirators, air monitoring, filtration and safety essentials, designed to advance your safety and increase your productivity.

As we embark on a new frontier in industry, join us in helping build a better future for the new generation of elite operators and enterprises.

## PROTECTING YOU...



**T-LINK®**  
(page 8)



**Z-LINK®**  
(page 14)



**T100™ SERIES**  
(page 20)



**T150™ SERIES**  
(page 24)



**SUPPLIED & POWERED AIR**  
(page 28)

*Protecting you for life's best moments.*







**...FOR LIFE'S BEST MOMENTS®**

Those moments we experience every day. Be it kayaking on a tranquil lake, a mountain hike or just returning safely home from work to enjoy the things in life that matter most.

*Protecting you for life's best moments.*

**rpb**





## PRODUCT COMPARISON



**T-LINK®**



**Z-LINK®**



**T100 SERIES™**



**T150 SERIES™**

Air supply	SAR or PAPR	SAR or PAPR	SAR	SAR
Respirator type	Loose-fitting	Loose-fitting	Loose-fitting	Tight-fitting
Available attachments and accessories	Comfort-Link™ Quiet-Link™ Comms-Link™ Vision-Link™ Crystal clear peel-off lenses	Comfort-Link™ Quiet-Link™ Comms-Link™ Vision-Link™ Welding visor Crystal clear peel-off lenses	Chin strap Peel-off lenses	Peel-off lenses
Head protection	<b>Optional</b>	<b>Yes</b>	No	No
Hearing protection	<b>Optional</b>	<b>Optional</b>	No	No
Eye protection	<b>Optional</b>	<b>Yes</b>	<b>Optional</b>	<b>Yes</b>
Cape/hood types	Dupont™ Tychem® 2000 Dupont™ Tychem® 4000	Dupont™ Tychem® 2000 Dupont™ Tychem® 4000 Zytec® FR	Dupont™ Tychem® 2000 Dupont™ Tychem® 4000	n/a
Fit testing required	<b>No</b>	<b>No</b>	<b>No</b>	Yes
Assigned protection factor	1000	1000	1000	500
Ideal for	High levels of overspray. Climbing around objects is required.	Low levels of overspray. Arc spraying; grinding or welding protection.	Lightweight protection for intermittent use.	Confined spaces.
Top-rated feature	Adjustable head protection provides comfort and ensures the hood moves with your head.	Can be used for multiple applications.	Made from Dupont™ Tychem® material.	Anti-scratch, anti-fog coating that can be wiped clean with thinners.

Protecting you for life's best moments.





# T-LINK® RESPIRATOR

SUPERIOR LIGHTWEIGHT  
RESPIRATORY PROTECTION





## RPB® T-LINK®. DESIGNED TO WORK WITH YOU, NOT AGAINST YOU!

Working longer stints never felt this good. Gone are the days of having to fight against a Tyvek® respirator. The RPB® T-Link® has been designed to assist you in your work, moving with you wherever you turn.

Below are just some of the features:

- The Tyvek® cover is securely attached to the helmet system ensuring it will never blow up off your head!
- The large viewing window enables you to operate with a widened perspective with exceptional downward and peripheral vision.
- The soft, breathable inner-bib and extra tuck-in collar directs air down your body to aid cooling.

The T-Link®'s padded head-liner and head suspension system provides comfort and balanced weight distribution, making it feel lighter as there are no pressure points on your head. Being fully adjustable ensures the respirator fits securely and moves with your head, allowing you to work freely without having to worry about the hood getting in the way or messing up your fresh paint job. It is simply everything you could want in a painting respirator.

For more information visit [rpbsafety.com/respirators/t-link](https://rpbsafety.com/respirators/t-link)

Protecting you for life's best moments.

ISO9001  
CERTIFIED COMPANY

National Institute for  
Occupational Safety and Health  
**NIOSH**  
PAPR & SAR

**ANSI**

S3.19  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

Z89.1  
HARD HAT PROTECTION  
Type 1 Class C  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](https://rpbsafety.com) for more details.

Z87  
EYE & FACE PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](https://rpbsafety.com) for more details.

**CE 2797**  
EN14594:2005 3B  
EN12941:1998 + A2:2008  
TH3 P R SL  
RESPIRATORY PROTECTION

EN352-3:2002  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

EN397:2003+A1:2009  
HARD HAT PROTECTION  
IMPACT CLAUSES  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](https://rpbsafety.com) for more details.

EN166:2001 CLASS 1F  
EYE & FACE PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](https://rpbsafety.com) for more details.

  
BSI Certified Product  
AS/NZS 1716:2012  
BMP# 714303  
RESPIRATORY PROTECTION

AS/NZS 1801:1997  
BMP# 714306  
HARD HAT PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](https://rpbsafety.com) for more details.

AS/NZS 1337.1:2010  
BMP# 714304  
EYE & FACE PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](https://rpbsafety.com) for more details.

MADE IN THE USA



## SUPERIOR COMFORT

Optional Comfort-Link™ padding system provides additional stability and comfort.

Shown without hood for visual purposes only.



## ADAPTABLE PROTECTION

Select from a lightweight bump cap or ANSI Z89.1 certified hard hat system (EN397).

Shown without hood for visual purposes only.







## PRODUCT DETAIL

The T-Link® includes certified head, eye, hearing and respiratory protection\*.



Comfortable head suspension can be adjusted for height and distance from visor. □

Air deflector to adjust the air direction inside the respirator. □

Optional ANSI Z87 approved safety lens (EN166). □

Large viewing window. □

Fixed lens frame ensures the lens will never hit your nose. □

Crystal clear peel-off lenses available. □

\* When using the hard hat system, ANSI Z87 lens and Quiet-Link™ respectively.



□ Option of bump cap or ANSI Z89.1 hard hat protection (EN397).

□ Breathing tube easily attaches to respirator and swivels to eliminate tangles.

□ Ratchet adjustment from the outside of the hood (except SL version).

□ 2 cape materials available: Dupont™ Tychem® 2000, Dupont™ Tychem® 4000.

□ Soft, breathable inner-bib.

□ Long tuck-in collar for extra protection and upper body air flow.



## ADD-ONS



**QUIET-LINK™**  
Ear defender system.



**COMFORT-LINK™**  
Padding system.



**COMMS-LINK™**  
In-helmet communication system.



# Z-LINK® RESPIRATOR

ELITE MULTI-PURPOSE  
RESPIRATORY PROTECTION







## DO MORE THAN JUST PAINT? WE'VE GOT YOU COVERED FOR MULTIPLE APPLICATIONS

**The RPB® Z-Link® is more than a product. It's a system.  
The most versatile multi-purpose respirator on the planet.**

The Z-Link®'s large visor enables you to operate with a widened perspective. It features exceptional downward and peripheral vision combined with a visor that hinges open so you can communicate easily with your team.

The Z-Link®'s padded head-liner and head suspension system provides comfort and balanced weight distribution, making it feel lighter as there are no pressure points on your head. Being fully adjustable ensures the respirator fits securely and moves with your head, allowing you to work freely without having to worry about the hood getting in the way or messing up your fresh paint job.

The Z-Link® is ideal if your job involves multiple applications like grinding and welding or for paint booths where there is minimal overspray, as it is a permanent respirator with low part replacement costs.

For more information visit [rpbsafety.com/respirators/z-link](http://rpbsafety.com/respirators/z-link)

Protecting you for life's best moments.

**ISO9001**  
CERTIFIED COMPANY

**NIOSH**  
PAPR & SAR

**ANSI**

S3.19  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

Z89.1  
HARD HAT PROTECTION  
Type 1 Class C

Z87+  
EYE & FACE PROTECTION

**CE 2797**

EN14594:2005 3B  
EN12941:1998  
+A2:2008 TH3 P R SL  
RESPIRATORY PROTECTION

EN352-3:2002  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

EN397:2003+A1:2009  
HARD HAT PROTECTION  
IMPACT CLAUSES

EN166:2001 CLASS 1F  
EYE & FACE PROTECTION



BSI Certified Product  
AS/NZS 1716:2012  
BMP# 714303  
RESPIRATORY PROTECTION

AS/NZS 1801:1997  
BMP# 714306  
HARD HAT PROTECTION

Not all configurations conform to this standard.  
Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

AS/NZS 1337.1:2010  
BMP# 714304  
EYE & FACE PROTECTION

**MADE IN THE USA**



## SUPERIOR COMFORT

The first padded, multi-purpose respirator on the planet. A fully-adjustable, helmet padding system gives you total control of the helmet and head placement including the adjustable head band and reversible brow pad. The optional Comfort-Link™ system provides extra stability and comfort.

Shown without cape for visual purposes only.







## PRODUCT DETAIL

The Z-Link® includes certified head, eye, hearing\* and respiratory protection.

Multiple lens colors available, including IR shades 3 and 5 for arc spraying.

Optional crystal clear peel-off lenses.

Optional ANSI Z87+ approved safety lens (EN166).

ANSI Z89.1 certified hard hat (EN397).

Visor hinges open.

3 cape materials available: Dupont™ Tychem® 2000, Dupont™ Tychem® 4000 or Zytac® FR.

Fixed jaw ensures secure cape attachment.

\* When using the Quiet-Link™ ear defender system.



## ADD-ONS



**QUIET-LINK™**  
Ear defender system.



**COMFORT-LINK™**  
Padding system.



**COMMS-LINK™**  
In-helmet communication system.



# T100™ SERIES

LIGHTWEIGHT PROTECTION







## LIGHTWEIGHT PROTECTION

**The RPB® T100™ Series is a cost-effective disposable respirator. The economical option that provides lightweight protection and premium quality.**

Used throughout a variety of industries from industrial spray painting to chemical handling, the T100™ has been designed to be robust enough to reuse but cost effective enough to discard after use.

It is manufactured from DuPont™ Tychem® material and offers superior comfort compared to conventional, tight, full-face respirators. The hood protects your entire head, eliminating the need for a head sock. A large variety of hood options with different features are available.

Users with facial hair commonly convert to loose-fitting respirators so they don't jeopardize their protection. There is no fit-testing required, saving you time and money, while maintaining OSHA compliance.

For more information visit [rpb.com/respirators/t100](https://rpb.com/respirators/t100)

*Protecting you for life's best moments.*

ISO9001  
CERTIFIED COMPANY

National Institute for  
Occupational Safety and Health  
**NIOSH**  
PAPR & SAR

**ANSI**  
Z87+  
EYE AND FACE PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpb.com](https://rpb.com) for more details.

**MADE IN THE USA**  
FROM LOCAL & GLOBALLY SOURCED COMPONENTS



## PRODUCT DETAIL

Large lens providing excellent peripheral and downward vision. □

Tuck-in collar directs air over the upper body to provide additional cooling. □

□ Air duct directs the airflow to the operator's breathing zone.

□ Optional barrier seal for more demanding environments.

□ Peel-off lenses protect the main lens from chemical splash, spray drift and dust.





# T150™ SERIES

THE ULTIMATE AIR SUPPLIED  
FULL-FACE RESPIRATOR







## THE AGILITY YOU NEED FOR CONFINED SPACES

**The RPB® T150™, NIOSH approved, Type C respirator provides operators superior vision and safety across a spectrum of applications from chemical stripping to spray painting and coating.**

The T150™ is manufactured from polycarbonate, making it robust, yet comfortable enough for all-day protection. It has an adjustable six-point harness and a soft silicone or thermoplastic (TPR) face seal that fits perfectly to the contours of the user's face, creating an airtight seal. It also features a panoramic lens that has been specially treated to prevent fog, scratches and acid wear and tear.

Protect the main lens from chemical splash, spray drift or dust with peel-off protective lenses. Pre-folded tabs ensure you can quickly tear off just one layered lens at a time.

*Protecting you for life's best moments.*

ISO9001  
CERTIFIED COMPANY



ANSI  
Z87+  
EYE AND FACE PROTECTION



## PRODUCT DETAIL

Polycarbonate lens protects your face from overspray and debris. It's acid-resistant coating allows it to be cleaned with thinners.

Air distribution system provides an anti-fog barrier to the inside of the lens.

□ Panoramic visor provides undistorted vision.

□ Soft silicone (green) or thermoplastic (TPR, gray) face seals guarantee a perfect fit.

□ Soft silicone inner face seal fits comfortably over mouth and nose.





# SUPPLIED & POWERED AIR

## AIR SUPPLY OPTIONS







## SUPPLIED AIR

The RPB® painting and coating range can be connected to compressed air using the following components:



### GX4® GAS MONITOR

Have complete confidence in the air you and your team breathe with the GX4®, an intelligent gas monitor that has the ability to detect up to 4 gases simultaneously.



### RADEX® AIRLINE FILTER

The Radex® Airline Filter exceeds industry filtration standards so you can be assured that you and your team won't suffer the consequences of breathing contaminated air.



### C40™ CLIMATE CONTROL DEVICE\*

The C40™ can heat and cool your supplied air as desired. With the slide of a lever, you can switch from heating to cooling ensuring you are always comfortable. The C40™ can cool the incoming air by up to 52°F (29°C) and heat it by up to 33°F (18°C).



\* Other flow devices available.

Protecting you for life's best moments.

Easily control your temperature with the slide of a lever. □

Made from lightweight, robust materials - weighs 11.6 ounces (329g), includes belt. □

Air inlet swivels 360° to sit comfortably on your hip. □

## INCREASE PRODUCTIVITY

Increase your productivity with the C40™ Climate Control Device. A patented system that can cool your incoming air by up to 52°F (29°C) or heat it by up to 33°F (18°C).

Exhausted air is directed away from your body, eliminating the need for a heat shield. □

US Patent No. US 9,599,372.





## PRODUCT DETAIL

Ensure your air is clean with the RPB® Radex® Airline Filter unit and intelligent multi-gas GX4® Monitor.

Quick disconnect coupler (also available as 6-outlet upgrade) that is compatible with brands including Aro, Cejn, Dixon and Rectus. □




Replacement filter cartridges have a replacement date sticker for maintenance scheduling.

Robust power inlet. □

Illuminated display that shows real time data. □

Complete quick and easy calibration checks with no set points required. □

Wall and floor mounting system. □



□ Outlet pressure regulator provides the ability to adjust air pressure. Range 0-125 psi (04-900 2 outlet unit only).

□ 150 psi safety pressure relief valve.

□ 103 DBA staccato alarm.

□ View air quality from any device. Connect the GX4™ from your laptop, tablet, phone or via a network.



□ Monitor up to four gases simultaneously.

□ Strong nylon ABS case that will handle the harshest of conditions.

□ Cartridges can be easily removed and replaced.

□ Strong, robust housing.

□ Fitted with brass drain tap.






## THE PX4 AIR® PURIFYING RESPIRATOR

The RPB® PX4 Air® is a robust and versatile Powered Air Purifying Respirator (PAPR) that provides clean breathing air.

The PX4 Air® optimizes your safety, comfort and portability. It is NIOSH and CE certified and exceeds the requirements of AS/NZS, so you can enjoy clean breathing air without the restriction of attached airlines, giving you complete flexibility to move around as your job requires\*.

The PX4 Air® is compatible with multiple cartridges, including HEPA and OV/AG/HE filters.



OV/AG filter not NIOSH approved.

For more information visit [rpb.com/air-monitoring-filtration-supply/px4-air](http://rpb.com/air-monitoring-filtration-supply/px4-air)

\* PX4 Air® may not be suitable for some applications and environments. Check your environment for suitability.

Protecting you for life's best moments.

ISO9001  
CERTIFIED COMPANY



Only in conjunction with approved respirator.

CE 2797

EN12941:1998  
+A2:2008 TH3 P R SL  
RESPIRATORY PROTECTION



BSI Certified Product  
AS/NZS 1716:2012  
BMP# 714303  
RESPIRATORY PROTECTION



## LED DISPLAY

The LED display shows battery life and fan speed. When flow is below the minimum requirements the unit alerts you by an audible and vibrating alarm.



MADE IN THE USA  
FROM LOCAL & GLOBALLY SOURCED COMPONENTS





Protecting you for life's best moments.





**⚠ WARNING PRODUCT SELECTION**

**1. Determine what type of protection is required for your activity.**

As applicable, check your workplace safety program, respiratory protection program, and standards and regulations for your activity or industry.

**2. Check product specifications.** Contact RPB® or check the product instruction manual (downloadable from [rpbsafety.com](http://rpbsafety.com)) for complete specifications, including approvals, standards, and regulations to which the product conforms.

**3. Make sure you have a complete system.** Verify that you have or are purchasing all required components. System requirements are available from RPB® or in product instruction manuals.

**Selecting inappropriate or incomplete equipment, including the use of counterfeit or non-RPB® parts, can result in inadequate protection and will void the NIOSH approval of the entire respirator.**

Copyright ©2018 RPB Safety, LLC. All rights reserved.

All materials contained in this publication are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of RPB Safety, LLC. You may not alter or remove any trademark, copyright or other notice from copies of the content.

**Trademarks and Other Intellectual Property**

All trademarks, service marks, and logos used in this publication, both registered and unregistered, are the trademarks, service marks, or logos of their respective owners. The green and gray color combination is a registered trademark of RPB Safety, LLC. All rights in the RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. RPB Intellectual Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, know-how, brands, trademarks, trade names, slogans, logos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by RPB Safety, LLC.

Dupont™ Tyvek® and Tychem® are registered trademarks of E.I. du Pont de Nemours and Company or its affiliates.



*Protecting you for life's best moments.*



---

# WANT TO KNOW MORE? CONTACT US

[rpbsafety.com](http://rpbsafety.com)

Request a quote [rpbsafety.com/request-a-quote](http://rpbsafety.com/request-a-quote)

Start your 30 day trial [rpbsafety.com/buy-to-try](http://rpbsafety.com/buy-to-try)

Or call us toll-free at **1-866-494-4599**

*Protecting you for life's best moments.*

